

Material Safety Data Sheet (SDS)
[For mixture (for paint)]

1. Product and company information

Product name : INSULATION FILLER Color : White
Company name : Hoei sangyou Co.,Ltd.
Address : 94, Ohnosiba-cho, Naka-ku, Sakai city, Osaka prefecture
Department in charge : Engineering department
Phone number : +81-72-235-1131
Fax number : +81-72-234-0835
Emergency contact : +81-72-235-1131

2. Summary of hazard

[GHS classification]

Physical hazards

Flammable liquids :No classification

Hazard to health

Acute toxicity (oral) :No classification
Acute toxicity (Dermal) :No classification
Acute toxicity (inhalation:gas) :No classification
Acute toxicity (inhalation:vapor) :Classification not possible
Acute toxicity (inhalation:dust/mist) :Classification not possible
Skin corrosion / irritation :No classification
Serious eye damage / eye irritation :Category 2B
Respiratory sensitization :Classification not possible
Skin sensitization :Classification not possible
Germ cell mutagenicity :Classification not possible
Carcinogenicity :Category 2
Reproductive toxicity :Classification not possible
Specific target organs toxicity(single exposure) :No classification
Specific target organs toxicity(Repeated exposure) :Category 1
Aspiration hazard :Classification not possible

Enviromental hazard

Aquatic enviroment toxicity: acute :Classification not possible
Aquatic enviroment toxicity: chronic :Classification not possible
Hazardous to the ozone layer :Classification not possible

Enviromental hazard

[GHS label elements]

Signal ward : Dangerous



[Hazardous information]

:Causes serious eye irritation.
:Suspected of causing cancer.
:May cause damage to organ and through prolonged or repeated exposure.
(The respiratory .)

Instruction

[Precaution]

:In the handling workspace, please provide a local exhaust system with no flames.
:Ventilation is good while handling, so as not to inhale steam, necessary
please respond accordingly to mask for organic gas or as mask for gas supply.

:Protective eyeglasses, protective gloves, long sleeve work clothes so as not to touch the eyes and the skin please wear it.

:After handling , please wash your hands and gargle thoroughly

[First aid measures]

:In case of fire,please use carbon dioxide gas, form or powdered fire extinguisher.

:In case of contact with eyes, wash with plenty of water for at least 15 minutes, promptly doctor's diagnosis please receive.

:If you feel bad by inhaling steam , gas etc., clean air

please rest at the place and receive a doctor's diagnosis if necessary.

:If it adheresto the skin, wash it off with soapy water, it will cause pain or appearance when there is a chage, please consult a doctor promptly.

:In case of accidental swallowing, get medical attention immediately.

[Storage]

:Keep locked and stored.

[Leakage]

:If spilling from the containerswipe it off with sand, cloth or the like, please collect it in a container filled with water.

[Disposal]

:Contents and containers, specialized waste received permission from the prefectural governor please consign it to a processing company.

3. Composition / information on ingredients

Distinction between chemical substance and mixtures

: Mixture

Chemical name or general name

ingredients	CAS.No	Content (wt%)	Safety law
Modified acrylic resin		30~35	
Titanium dioxide	13463-67-7	1~5	No. 191
Additives		<7	
Micro capsule		15~20	
Propylene glycol	57-55-6	≤ 1	
Water		35~40	

4. First aid measures

After inhalation

: Inhale steam, gas etc., and if you feel sick immediately transfer to a fresh place of freshness, endeavor to rest and keep warm, medical attention promptly.

After skin contact

:Remove adhered clothesand shoes, while flowing water or cool water while adhering parts wash.

:Rinse thoroughly with plenty of water and soap or skin

After eye contact

:Immediately remove all contaminatedclothing.

Immediately wash with plenty of clean running water for at least 15 minutes.

Remove contact lense when worn and can be removed easily.

Wash throughly to the back of the eyelids.

After swallowing

:In case of accidentalswallowing, wash the inside of the mouth with water, rest set up SDS immediately present and submit a doctor's diagnosis.

Protection of first-aiders

:Wear appropriate protective equipment (protective glasses, protective masks, gloves, etc.) according to the situation.

5. Fire - fighting measures

Extinguishing media

:Water , carbon dioxide , foam , chemical powder , dry sand

Unsuitable extinguishing media

:Straight stream may spread a fire.

Specific fire extinguishing method

:For initial fire, powder ,carbon dioxide , etc. are used.

:In case of a large-scale fire , it is necessary to shut off the air using a foam etc.

It is valid, in the case of a surrounding fire cool the surrounding equipment by spraying water.

Transfer the movable container to a safe place in a prompt manner.

Protection of firefighter

:When extinguishing fire, wear air respirator, chemical protective clothing.

6. Accidental release measures

Personal precautions.

Protective equipment and emergency procedures.

:In the case of indoors, ventilate thoroughly until treatment is completed.

:Approach outside stakeholders by stretching a rope around the leaky place Ban.

:When handling the work, use protective equipment.

(rubber gloves, protective eyeglasses, breathing protection, etc.)

Do not wear and adhere to the skin or inhales gas / vapor.

:Work from the windward side and evacuate people leaning downwind.

:Prepare fire extinguishing equipment in case of ignition.

:In case of large amount, people are safely withdrawn.

Environmental precautions

:Be careful not to let spills enter the river etc.

In case of flowing into a river or the like, contact the fire department, river management department, waterworks bureau, public health center, agricultural cooperative, fishery cooperative etc as necessary.

:Appropriate measure such as reporting to the surrounding residents that a leak has occurred due to the occurrence of a bad smell etc.

Recovery

:In case of small amount, wipe with dry sand, sawdust, cloth etc, and collect it in a sealable container. Discard it later.

:In case of a large amount , stop the flow path with blankets, sandbags, etc., and collect with a vacuum.

Containment and purification methods equipment

:Stop leak if it is not dangerous.

:All equipment used when handling spills is grounded.

Measures to prevent secondary disasters

:Remove nearby waste fire sources promptly, prepare fire extinguishers for ignition.

7. Handling and Storage

Precaution for handling

:Provide ventilation and wear protectors.

Avoid exposing by supplying an appropriate protection tool and ventilator.

Keep container tightly closed.

Wear protect equipment while the work, avoid eye ,skin ,and clothing contact.

Wash hand ,face and well gargle after handling.

Precaution for storage

:Avoid freezing, direct sunlight, keep in a well-ventilated place.

Avoid overturn, fall-down.

8. Exposure controls and personal protection

Adopted value ,Control value	:Not established (Titanium dioxide)
Japan Society for Occupational Health	:Titanium dioxide
Control value	Adopted value
4 mg/m ³	10 mg/m ³

Equipment measures

- :Use designated explosion-proof electricity, ventilation and lighting equipment.
- :Take precautionary measures against electrostatic discharge.
- :Ventilate for exhaust to keep airborne concentrations below exposure limits.
- :When mist occurs in the process at high temperature handling, control the air pollutant to the controlled concentration install a ventilator to keep it below.
- :Do not handle unless sealed equipment, equipment or local exhaust is used.
In order to keep the air concentration below the recommended management concentration below, it is necessary to seal the process.
use other equipment countermeasures.
- :Store facial cleanser and safety shower in workspaces where this material is not stored and handled.

Protective equipment

Respiratory protection

- :Wear respiratory protective equipment (gas mask for organic gas, air line mask)

Hand protection.

- :Wear oil resistant protective gloves.

Eye protection

- :Wear safety glasses (ordinary glasses type, ordinary glasses type with side plate , goggle type).

Skin and body protection

- :Wear protective clothing (antistatic type) and protective shoes (antistatic type)

9. Physical and chemical properties

Shape	: Liquid
Color	: White
Odor	: Slightly acrylic odor
pH value	: 7.5~8
Meltig point • Freezing point	: 0 °C
Boiling point	: 100 °C (boiling point)
Flash point	: No date
Explosive range	: No date
Vapor pressure	: No date
Vapor dencity	: No date
Density	: 0.40 ± 0.05
Solubility	: Soluble in water
n-octanol/water(long value)	: No date
Auto ignition temperature	: No date
Decomposition temperature	: No date
Non-volatile	: 64±2%
Evapouration rate	: No date
Flammability (solid, gas)	: Not applicable
Viscocity	: 22±4 Pa.s (BH type Viscometer)

10. Stability and Reactivity

Chemical stability :Stable in the air at the normal temperature.
 Reactivity :Non-inflammable, CO, Nox gas occurs with combustion.

11. Toxicological information

	Accute toxicity Oral	Dermal	Inhalation (vapour)	Inhalation (mist)
Titanium dioxide	LD50>5000mg/Kg (Estimated value)	LD50>5000mg/Kg (Estimated value)		LC50>50mg/L

	Skin corrosion / irritation	serious eye damage / eye irritation	Respiratory sensitization	Skin sensitization
Titanium dioxide	Category 3	Classification not possible	Classification not possible	Not applicable

	Germ cell mutagenicity	Carcinogenicity	Reproductive toxicity
Titanium dioxide	Not applicable	Category 2	Not applicable

	Cpecific target organ toxicity Single exposure	Cpecific target organ toxicity Repeated exposure	Aspiration hazard
Titanium dioxide	Category 1	Category 1	Classification not possible

12. Ecological information

- Avoid entering the river, ground, drainer or affecting to the environment.

	Hazardous to the enviroment aquatic (accute hezard)	Hazardous to the enviroment aquatic (Long-term hezard)	Hazardous to the Ozone Layer
Titanium dioxide	Not applicable	Category 4	Classification not possible

	Eco-toxicity	Persistence and degradability	Bioaccumulative potential	Mobility in soil
Titanium dioxide	No information	No information	No information	No information

13. Disposal considerations

Residual waste

:When incinerating, observe relevant laws and regulations.
In the case of disposal, collection and transporters of industrial waste

received permission of the prefectural governor contract with the disposal company, the waste disposal law (waste disposal and cleaning law) and comply with relevant laws and regulations and properly process it.

Contaminated containers and packaging

:In case of discarding empty contaminated containers / packages, after completely removing the contents the prefectural governor .
We contracted with industrial waste collection / transportation companies and disposal companies that received permission of the Waste Disposal Act (Waste Disposal and Public Cleansing Law) and regulation and laws and regulations properly.

14. Transport information

International regulation

UN number : Not applicable
UN Class : Not applicable
Container grade : Not applicable

Rail and road transportation information

:Refer to applicable law and regulation.
Marine transportation information :Refer to applicable law and regulation.
Aviation transportation information :Refer to applicable law and regulation.

Special safety measures

:When transporting, make sure that the container does not leak, to prevent falling, or damage ensure prevention of loading and collapse of load.
It is necessary to hold the yellow card when transporting.
Do not transport with food and feed.

15. Regulatory information

Industrial Safety and Health Act :Harmful substance to be notified of name etc.
(Article 57-2 of the law, appended table 9
of Article 18-2 of the enforcement ordinance)
No. 191 Titanium dioxide
No. 601 1-(2methoxy2methylethoxy)2-puropanol (40~50%)
(Contained in Dipropylene glycol mono methyl ether.)
Propylene glycol Regulation appended table 2-1786
(Apr/1/2025 enforcement)
Fire Service Act :Not applicable
Pollutant Release and Transfer :Not applicable
Register Law (PRTR Law)
Poisonous and Deleterious :Not applicable
Substances Control Act

16. Other information (cited documents, etc.)

References cited

- :Raw material data sheet (Japan Manufacturing Paint Association)
- MSDS guide book (for paint) (Japan Manufacturing Paint Association)
- Hazardous substance data book (Maruzen publishing)
- GHS classification result database. (National Institute of Technology and Evaluation)

This information herein is given in good faith in accordance with the data in a variety of technical publication.

It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions.

In addition, the information listed here is made based on the latest information by our investigation at the time of creation, but please understand that revision is possible by amendment of laws, regulations or the announcement of new toxicity test result.